



Can Tho University



Osaka City University



Japan-Vietnam  
Geoinformatics  
Consortium (JVGC)

## PROCEEDINGS

# International Conference on GeoInformatics for Spatial-Infrastructure Development in Earth & Allied Sciences

Can Tho University, Vietnam, 22-25 November, 2018



Editors: Vo Quang Minh & Venkatesh Raghavan

JVGC Technical Document No.9



CAN THO UNIVERSITY PUBLISHING HOUSE  
2018

# GIS - IDEAS 2018

Can Tho University, Vietnam, 22-25 November, 2018

## Contents

### KEYNOTE

1. FIELD DATA AGGREGATION AND EVALUATION USING FREE AND OPEN SOURCE GEOSPATIAL SOFTWARE..... 1  
*Venkatesh Raghavan and Niroshan Bandara*
2. GIS DEVELOPMENT IN TAIWAN..... 9  
*Yuei-An Liou*
3. GIS AND REMOTE SENSING IN THE 4.0 AGRICULTURAL REVOLUTION IN THE MEKONG DELTA ..... 10  
*Võ Quang Minh*

### SESSION 1: USING GIS FOR RURAL MANAGEMENT

4. GROUP DECISION FOR MULTI – CRITERIA DECISION ANALYSIS..... 20  
*Phanida Chauboonmee and Kampanart Piyathamrongchai*
5. ASSESSMENT OF RENEWABLE ENERGY SYSTEMS IN NORTHERN PHILIPPINES USING GEOSPATIAL TOOLKIT ..... 26  
*Carlos M. Pascual, Michelle B. Delos Santos and Mayrose E.Valenzuela*
6. VILLAGE LEVEL ETHNIC DISTRIBUTION IN NAKHON PHANOM IN THE MIDDLE MEKONG CORRIDOR ..... 37  
*Yoshikatsu Nagata*
7. BUILDING AN EARLY WARNING SYSTEM FOR MOUNTAINS AREA, CASE STUDY IN THUAN CHAU DISTRICT - SON LA PROVINCE ..... 42  
*Ngoc Thach Nguyen, Thi Hong Nguyen, Xuan Canh Pham, Quoc Huy Nguyen*
8. ASSESSING LAND USE TRANSFORMATION IN AGRICULTURAL REGIONS IN DEVELOPING COUNTRIES: A CASE STUDY OF TIEN GIANG PROVINCE, VIETNAM..... 54  
*Nguyen Ngoc Tuyen, Phan Thi Tuong Vy, Pham Thi Hong Lien, Thanh Duc Dang*
9. APPLICATION OF GIS IN THE MAPPING OF SOIL FERTILITY DISTRIBUTION IN THE MEKONG DELTA ..... 60  
*Thai Thanh Du, Nguyen Thi Ha Mi, Vo Quang Minh, Le Van Khoa, Pham Thanh Vu, Le Quang Tri*

### SESSION 2: REMOTE SENSING FOR RURAL DEVELOPMENT

10. APPLICATION OF REMOTE SENSING TECHNOLOGY TO ESTABLISH THE FLOOD MAP OF QUANG NGAI PROVINCE..... 66  
*Bùi Huỳnh Anh, Nguyễn Châu Mỹ Duyên, Bùi Tá Long*

11. SPATIAL PREDICTION OF SOIL CLAY CONTENT USING RANDOM FOREST KRIGING IN HIEP HOA DISTRICT, BAC GIANG PROVINCE, VIETNAM .....	72
<i>Doan Thanh Thuy</i>	
12. STRUCTURAL HEALTH MONITORING SYSTEM OF THE THUAN PHUOC SUSPENSION BRIDGE IN VIET NAM .....	78
<i>Lan Nguyen, Hung Pham Huy and Trung Bui Hong</i>	
13. SPATIO-TEMPORAL DYNAMICS OF DROUGHT IMPACTS IN DIFFERENT VEGETATION COVER TYPES USING GOOGLE EARTH ENGINE .....	90
<i>Nga Nguyen, Hoa Nguyen and Binh Nguyen</i>	
14. ASSESSING THE IMPACT OF DROUGHT ON AGRICULTURAL LAND USE BY INTEGRATING REMOTE SENSING TECHNOLOGY AND METEOROLOGICAL DATA: A CASE STUDY IN QUANG DIEN DISTRICT, THUA THIEN HUE PROVINCE, VIETNAM .....	97
<i>Nguyen Bich Ngoc, Nguyen Huu Ngu, Tran Thanh Duc, Nguyen Van Phuc Thinh</i>	
15. EXPLORING LST CHANGES IN THE VIETNAMESE MEKONG RIVER DELTA WITH 2000 - 2015 MODIS DATA .....	104
<i>Vu Phan-Hien, Ngan Nguyen-Truong, Khanh Nguyen-Trong, Khanh Chau-Phuong</i>	
<b>SESSION 3: REMOTE SENSING FOR LAND COVER CHANGE MONITORING</b>	
16. CLASSIFICATION OF LAND COVER IN COASTAL ZONE AND ISLANDS OF THE SOUTHWEST REGION OF VIETNAM USING LANDSAT 8 IMAGERY .....	110
<i>Tran Anh Tuan, Pham Viet Hong, Le Dinh Nam, Tran Thi Tam, Vu Le Phuong, Nguyen Thi Anh Nguyet</i>	
17. GIS AND REMOTE SENSING APPLICATION IN MAAPING LAND COVER FOR CU CHI DISTRICT, HOCHIMINH CITY .....	117
<i>Nguyen Huy Anh, Pham Quyet Thang, Nguyen Trinh Minh Anh</i>	
18. APPLYING GIS AND RS IN ASSESSING THE CHANGE OF VEGETATION COVER IN TRAM CHIM NATIONAL PARK FROM 1988 TO 2017 .....	124
<i>Thanh Ngan Nguyen and Thi Hien Hau Vo</i>	
19. MONITORING SHORELINE CHANGES OF THE TIEN AND HAU RIVERS USING MULTI-TEMPORAL LANDSAT DATA .....	132
<i>Nguyen Huu Long, Nguyen Van Cam, Nguyen Van Trung, Le Thi Thu Ha</i>	
20. A RULE-BASED OBIA APPROACH FOR TOBACCO PLANTATION CLASSIFICATION IN SUKHOTHAI PROVINCE, THAILAND .....	140
<i>Duy Tran Huu, Diep Nguyen Thi Hong, Minh Vo Quang, Andrew Makowicki, Pariwate Varnakovida</i>	
<b>SESSION 4: SMART URBAN AND SMART AGRICULTURE</b>	
21. EVALUATION OF URBAN EXPANSION ON THE CHANGE OF COASTAL MORPHOLOGY USING DIGITAL SHORELINE ANALYSIS SYSTEM (DSAS): .....	151
<i>Narumon Jansut and Tanyaluck Chansombat</i>	

22. EXTENDED WEB DIRECTION SERVICE TO AVOID OBSTACLE ON ROAD USING TURF.JS.....	157
<i>Kampanart Piyathamrongchai</i>	
23. DEVELOPMENT OF GEOPROCESSING SERVICE FOR SMART FARMING USING FOSS4G AND IOT .....	163
<i>Thitisak Pothong and Sittichai Choosumrong</i>	
24. DEVELOPMENT OF REAL-TIME SMART WEATHER STATION AND WEB PROCESSING SERVICE FOR MONITORING AND EVALUATION OF FIELD ENVIRONMENTAL DATA BASED ON IOT AND FOSS4G.....	170
<i>Witsarut Rotchanatheeratham and Sittichai Choosumrong</i>	
25. ORIENTATION PLANNING FOR DEVELOPING URBAN GREEN SPACE BY INTEGRATING GIS AND AHP: A CASE STUDY IN HUE CITY.....	176
<i>Do Thi Viet Huong, Nguyen Phuoc Gia Huy, Nguyen Bac Giang</i>	
26. AN URBAN GROWTH MODEL FOR CITIES SEPARATED BY RIVERS AND CANALS .....	183
<i>Quang Chi Truong, Nghi Quang Huynh, Trang Thi Nguyen</i>	
<b>SESSION 5: NATURAL RISK MANAGEMENT</b>	
27. INTEGRATION OF CLUE-S MODEL AND GLOBIO3 MODEL TO ASSESS BIODIVERSITY IN CAT TIEN DISTRICT, VIETNAM .....	188
<i>Dinh Thi Kim Phuong and Nguyen Duc Tri</i>	
28. SPATIO – TEMPORAL MAPPING OF FLOOD INUNDATION IN CHAO PHRAYA RIVER BASIN, THAILAND USING MODIS FLOOD PRODUCT.....	193
<i>Wahaj Habib and Sarawut Ninsawat</i>	
29. LANDSLIDE VULNERABILITY ZONATION MAPPING USING GIS AND REMOTE SENSING METHODOLOGY: A CASE STUDY ON HIGHWAY 6, HOA BINH PROVINCE .....	199
<i>Ha Thi Hang</i>	
30. APPLICATION OF REMOTE SENSING AND GIS FOR FLOOD VULNERABILITY AND MITIGATION: A CASE STUDY OF FLOOD AFFECTED HIGHWAY 6, HOA BINH PROVINCE .....	205
<i>Ha Thi Hang</i>	
31. ASSESSMENT OF DROUGHT INDICES USING DIFFERENT METHODS IN SOUTH CENTRAL COAST OF VIETNAM .....	211
<i>Hoang Le Huong, Ngo Thanh Son and Nguyen Huu Thanh</i>	
32. DEVELOPMENT OF A METHOD FOR TWO-DIMENSIONAL PLANE REPRESENTATION OF ONE-DIMENSIONAL ANALYSIS RESULTS BY CONSIDERING LAND FORM SHAPE USING LASER PROFILER DATA .....	219
<i>Atsushi Kajiyama, Yasufumi Takata and Satofuka Yoshifumi</i>	

33. APPLICATION OF STANDARDIZED PRECIPITATION INDEX (SPI) AND GIS FOR DROUGHT ASSESSMENT IN DAK NONG PROVINCE ..... 226  
*Pham Thi Thanh Hoa and Vu Ngoc Quang*
34. GEOGRAPHICALLY WEIGHTED REGRESSION FOR SURFACE ELEVATION ESTIMATION USING GLOBAL DEMs AND SPOT HEIGHT DATA ..... 233  
*Le Van Bien, Venkatesh Raghavan, Vinayaraj Poliyapram, Tran Thi An*
35. IDENTIFYING DROUGHT AFFECTING PADDY LAND IN URBAN AGRICULTURE AREA USING REMOTE SENSING AND ACTUAL OBSERVATIONAL PRECIPITATION DATA: A CASE STUDY IN HOA VANG DISTRICT, DANANG CITY, CENTRAL VIETNAM ..... 239  
*Tran Thi Phuong and Huynh Van Chuong*
36. LANDSLIDE SUSCEPTIBILITY MAPPING USING RANDOM FOREST MODEL IN LAO CAI PROVINCE, VIETNAM ..... 246  
*Xuan Quang Truong, Xuan Luan Truong, Thi Khanh Linh Dang, Thuy Dung Nguyen, Duc An Nguyen*

#### **SESSION 6: REMOTE SENSING IN RICE PRODUCTION AND FOREST MANAGEMENT**

37. EVALUATE THE IMPACTS OF ECOLOGICAL BALANCE FROM GOLD MINING THROUGH THE SATELLITE DATA ON ONGI RIVER, MONGOLIA ..... 252  
*Enkhjin Altanbulag and Yi-Ching Chen*
38. MULTI-SENSOR REMOTE SENSING FOR NATIONAL MONITORING OF FOREST CHANGES – A CASE STUDY OF HOA BINH PROVINCE ..... 258  
*Le Thi Khanh Hoa, Pham Khanh Chi, Tran Hung*
39. APPLYING GIS AND RS IN ASSESSING THE CHANGE OF FOREST COVER IN THUA THIEN HUE PROVINCE: A CASE STUDY FROM 1989 TO 2015 ..... 267  
*Thanh Ngan Nguyen and Thi Dung Le*
40. ESTIMATION OF RICE PLANT HEIGHT FROM LASER POINT CLOUD DATA ..... 274  
*Phan Thi Anh Thu and Takahashi Kazuyoshi*
41. EXPLOITATION DEVELOPMENT OF CA MAU FORESTRY PLANTS BASE ON GOOGLE EARTH ENGINE (GEE) FOUNDATION ..... 280  
*Nguyen Thien Hoa, Vo Quoc Tuan, Nguyen Thi Hong Diep*
42. ASSESSMENT OF POSSIBILITY OF USING SENTINEL-1 DATA IN COMBINATION WITH ORYZA MODEL FOR RICE PRODUCTION ESTIMATION: A CASE STUDY IN AN GIANG PROVINCE, MEKONG DELTA ..... 287  
*Tuan Quoc Vo, Tung Thanh Tran, Huong Thi Thu Huynh, Nhan Thi Kim Huynh, Minh Quang Vo*

#### **SESSION 7: VISUALIZATION AND WEBGIS**

43. DEVELOPMENT OF NEAR REAL-TIME ANALYSIS OF HEAT STROKE RISK INFORMATION SERVICE THAT AFFECTS TO THE ELDERLY PERSON BASED ON WEB MAP SERVICE AND FOSS4G ..... 293  
*Chidchanok Kerdyord and Sittichai Choosumrong*

44.	GINs - AN APPLICATION FOR REAL-TIME GEOGRAPHIC INFORMATION SHARING .....	299
	<i>Hoang Van Dang and Le Trung Chon</i>	
45.	APPLICATION OF VIRTUAL 3D CITY MODELS IN URBAN PLANNING .....	307
	<i>Sy Mai Van, Tuan Ta Minh, Xuan Nguyen Truong, Van Tran Thi Hai, Dung Nguyen Thi Mai and Quynh Nguyen Thi Huong</i>	
46.	STUDY ON STRATIGRAPHIC CORRELATION SUPPORT SYSTEM FOR 3-D SUBSURFACE GEOLOGICAL MODELING USING BOREHOLE DATA BASED ON LOGICAL MODEL OF GEOLOGIC STRUCTURE.....	320
	<i>Shinji Masumoto, Tatsuya Nemoto, Kenichi Sakurai, Susumu Nonogaki and Venkatesh Raghavan</i>	
47.	ELDERLY DATABASE DESIGN FOR EMERGENCY ROUTING PLAN USING OPEN DATA KIT AND PGROUTING .....	326
	<i>Danupol Nasingkarn, Sittichai Choosumrong and Venkatesh Raghavan</i>	
48.	VISUALIZATION OF THREE-DIMENSIONAL GEOLOGIC MODEL USING WEBGL ....	331
	<i>Tatsuya Nemoto, Shinji Masumoto, Susumu Nonogaki and Venkatesh Raghavan</i>	
49.	LAND SUITABILITY EVALUATOR: A COMPUTERIZED FRAMEWORK FOR MULTI-CRITERIA BASED LAND EVALUATION GUIDING SUSTAINABLE LAND USE PLANNING.....	335
	<i>Tuan Nguyen Thanh, Tri Ngo Dang, Y Tran Van, Nele Delbecque, Hai Nguyen Xuan, Ann Verdoodt</i>	
50.	DEVELOPING AN APPLICATION ON LAND USE PLANNING INFORMATION IN GIA RAI DISTRICT, BAC LIEU PROVINCE .....	342
	<i>Diep Nguyen Thi Hong, Xuyen Duong Chi, Nguyen Trong Can</i>	
51.	WEB SHARING OF THREE-DIMENSIONAL GEOLOGICAL DATA USING OPEN SOURCE SOFTWARE.....	353
	<i>Susumu NONOGAKI, Shinji MASUMOTO and Tatsuya NEMOTO</i>	
52.	WEB GIS SOLUTION FOR SHARING DATA AMONG ADMINISTRATION AGENCIES IN THE MEKONG DELTA REGION .....	359
	<i>Le Van Trung and Dao Minh Tam</i>	
 <b>SESSION 8: GEOINFORMATICS SUPPORTING FOR URBAN MANAGEMENT</b>		
53.	DEPLOYING GEOSPATIAL ANALYSIS THROUGH WEB PROCESSING SERVICE BASED ON PYMODIS AND ZOO-PROJECT .....	368
	<i>Chingchai Humhong, Sittichai Choosumrong, Gérald Fenoy, Luca Delucchi and Venkatesh Raghavan</i>	
54.	USING CELL FORMATION FOR ESTABLISHING THE GROUPS OF SUB-FLOW TREES IN REDUCING SINGLE FLOW ACCUMULATION PROBLEM .....	375
	<i>Khuu Minh Canh, Tran Van Hoai and Le Trung Chon</i>	

55. IMPROVING ACCURACY OF REAL TIME KINEMATIC POSITIONING BY USING PPP WITH IGS-RTS CORRECTIONS .....	381
<i>Lau N. Nguyen and Can Pham</i>	
56. URBAN DEVELOPMENT AND MANAGEMENT IN THAI NGUYEN CITY TOWARDS SUSTAINABLE GROWTH GOALS .....	388
<i>Nguyen Thi Thuy Hien</i>	
57. ANALYSIS OF DAILY GNSS POSITION TIME SERIES .....	396
<i>Tran Dinh Trong, Dao Duy Toan and Luong Ngoc Dung</i>	
58. UAV APPLICATION FOR UPDATING CADASTRAL MAP IN HO CHI MINH CITY .....	408
<i>Le Van Trung, Le Trung Chon, Nguyen Huu Nhat</i>	
<b>SESSION 9: CLIMATE CHANGE AND SALINITY INSTRUSION</b>	
59. LONG-TERM HYDROLOGICAL EFFECTS OF CLIMATE CHANGE AND LAND-USE CHANGE IN THE UPPER PART OF DONG NAI RIVER BASIN .....	414
<i>Pham Hung, Vo Le Phu, Le Van Trung</i>	
60. EVALUATING THE IMPACTS OF CLIMATE CHANGE ON THE SPATIO-TEMPORAL VARIABILITY OF EXTREME PRECIPITATION IN HO CHI MINH CITY (VIETNAM) .....	429
<i>Nguyen Trong Quan and Dao Nguyen Khoi</i>	
61. INTEGRATING OPEN AND OBSERVATIONAL DATA FOR MODELING THE CLIMATE CHARACTERISTICS OF QUANG NAM PROVINCE, VIETNAM .....	436
<i>Le Ngoc Hanh, Tran Thi An</i>	
62. EFFECTS OF SALINITY INTRUSION ON TYPES OF FARMING LAND USE IN VUNG LIEM DISTRICT, VINH LONG PROVINCE .....	443
<i>Nguyen Quoc Hau, Cao Thao Quyen, Vo Thanh Phong, Vo Quang Minh and Le Van Khoa</i>	
<b>SESSION 10: WATER RESOURCES SECURITY</b>	
63. EXTENDED WEB DIRECTION SERVICE TO AVOID OBSTACLE ON ROAD USING TURF.JS.....	450
<i>Kampanart Piyathamrongchai</i>	
64. ASSESMENT OF THE IMPACT OF FULL- DYKE SYSTEM ON WATER QUALITY USING GIS - A CASE STUDY: VI TAN COMMUNE, HAU GIANG PROVINCE .....	456
<i>Nguyen Quoc Cuong, Nguyen Dinh Giang Nam, Thach Kim Chau Ly Na and Cao Duy Luan</i>	
65. USING NESTED INTERVAL TREE TO MODELING SINGLE FLOW ACCUMULATION MODEL FOR CHANGING FLOW DIRECTION PROBLEM.....	462
<i>Khuu Minh Canh, Tran Van Hoai and Le Trung Chon</i>	

66. UNCERTAINTY OF GSMAP AND PERSIANN DATASET FOR PRECIPITATION ESTIMATION IN HUAI LUANG BASIN .....	468
<i>Fatah Masthawe, Anujit Vansarochana, Pattara Sukthawe and Sanguanpran Amornpatanawat</i>	
67. APPLICATION OF GIS FOR ANALYSIS CURRENT WASTE COLLECTION ROUTES AND FIND POTENTIALITY ROUTES OF THAPHO SUB-DISTRICT, MUEANG PHITSANULOK DISTRICT, PHITSANULOK PROVINCE.....	473
<i>Phatsasi Phailahan and Kampanart Piyathamrongchai</i>	
68. ESTABLISHING AND EXPLOITING THE GIS DATABASE FOR THE MANAGEMENT OF URBAN WATER DRAINAGE INFRASTRUCTURE .....	479
<i>Quynh-An Tran, Manh-Ha Nguyen, Thi- Kim-Thanh Nguyen, Thi-Tuyet-Vinh Tran, Thanh-Dat Duong</i>	
<b>ABSTRACT - WITHOUT FULL-PAPAERS</b>	
69. TOWARDS A FAIR AND EQUITABLE ALLOCATION OF CAUVERY WATERS, INDIA .....	485
<i>Siddharth Chaudhary</i>	
70. ANOMALY DETECTION RELATING TO TECTONIC FAULTS USING REMOTE SENSING AND GEOPHYSICAL METHODS: PRINCIPLES AND A TYPICAL RESULT ....	485
<i>Diem Huong Dang, Thi Hong Quyen Vo, Trong Tan Vu, Van Tung Dinh, Van Linh Do</i>	
71. LONG-TERM SPATIO – TEMPORAL WARMING TENDENCY IN THE VIETNAMESE MEKONG DELTA BASED ON OBSERVED AND GRIDDED DATASETS .....	486
<i>Dong Phuong Dang Nguyen, Thong Nhat Tran, Kim Loi Nguyen</i>	
72. INTEGRATION OF GIS, GROUP AHP AND TOPSIS IN EVALUATING SUSTAINABLE LAND-USE MANAGEMENT IN THE ZONE OF THE SALTWATER AND FRESHWATER INTERACTIONS IN THE CONTEXT OF CLIMATE CHANGE: A CASE STUDY IN KIEN GIANG PROVINCE.....	486
<i>Le Canh Dinh, Nguyen Tan Trung, Le Quang Tri</i>	
73. APPLICATION GIS AND REMOTE SENSING TO MONITOR THE IMPACT OF LAND COVER CHANGE ON URBAN INUNDATION OF HO CHI MINH CITY .....	487
<i>Thu Dinh Tran Anh, Thy Pham Thi, Kha Phan Quoc Tran, Khang Nguyen Duy, Long Do Thanh</i>	
74. RESEARCH ON USING OGC STANDARDS TO BUILD A TOOL SUPPORTING SPATIAL DATA DISPLAY .....	487
<i>Long Do</i>	
75. MULTI-SCALE DEEP NEURAL NETWORK LULC CLASSIFICATION USING REMOTE SENSING DATA AND R SOFTWARE.....	488
<i>Thi Hang Do, Venkatesh Raghavan, Xuan Luan Truong, Yonezawa Go</i>	

76. BUILDING MANAGEMENT AND EXPLOITATION NATURAL DATA WEBGIS BY OPEN SOURCE TECHNOLOGY .....	488
<i>Long Do, Binh Tran, Khang Nguyen, Kha Phan</i>	
77. ASSESSMENT OF GROUNDWATER QUALITY USING WATER QUALITY INDEX AND ESTABLISHING A GROUNDWATER MANAGEMENT TOOL AT THE LOCAL LEVEL: A CASE STUDY OF HAU GIANG PROVINCE, VIETNAM.....	489
<i>Duong Quynh Thanh, Nguyen Dinh Giang Nam, Huynh Ngoc My and Nguyen Thi Viet Trinh</i>	
78. OPTICAL REMOTE SENSING IMAGE OPTIMIZED DEHAZING ALGORITHM BY COASTAL AEROSOL AND CIRRUS BANDS .....	489
<i>Phi Phung Hoang, Diem Huong Dang, Van Anh Vu Nguyen</i>	
79. ACCESSIBILITY OF URBAN GREEN SPACE IN HO CHI MINH CITY .....	490
<i>Truong Ho Lam</i>	
80. BUILDING GIS DATABASE TO SUPPORT HOUSEHOLD SOLID WASTE MANAGEMENT IN CU CHI DISTRICT, HOCHIMINH CITY .....	490
<i>Nguyen Huy Anh</i>	
81. REAL-TIME WEB GIS TO MONITORING WILDFIRE USING VIIRS SATELLITE IN CHIANGRAI PHAYAO PHARE AND NAN PROVINCES .....	491
<i>Phaisarn Jeefoo, Nion Sirimongkonlertkun, Sukthai Pongpattanasiri</i>	
82. APPROPRIATE ACCURACY OF CARTOGRAM INVENTION FOR PESTICIDE USING AREA IN BANTAK AGRICULTURE COOPERATIVE SECTION, TAK, THAILAND.....	491
<i>Jiratchaya Jewpanya, Anujit Vansarochana, Ratchada Pantong, Chonthicha Kammani, Thidarat Sunthonthip</i>	
83. INUNDATION MAPPING USING MULTITEMPORAL SAR IMAGE CHANGE DETECTION .....	492
<i>Thu Trang Le</i>	
84. BIG DATA ANALYTICS WITH GIS .....	492
<i>Huong Mai Tran, Xuân Truong Nguyen, Dung Thi Mai Nguyen, Chuyên Trung Tran, Thuy Thi Diem</i>	
85. ADAPTIVE OPTICAL TECHNOLOGY FOR ECOLOGICAL MONITORING.....	493
<i>Ferdenant Mkrtychyan, Vladinir Krapivin, Vladinir Klimov</i>	
86. ON THE IMPACT OF LANDCOVER CHANGES ON LAND SURFACE TEMPERATURE VARIATION – A CASE STUDY IN THU DAU MOT CITY, VIETNAM.....	493
<i>To Thi Bich Nga, Tran Hoang Dang Khoa, Pham Viet Hoa, Ho Dinh Duan</i>	
87. COMBINING OPTICAL AND RADAR SATELLITE IMAGE TIME SERIES FOR TROPICAL FOREST MONITORING.....	494
<i>Duc Anh Ngo, Thi The Doan, Thu Hang Nguyen</i>	

88. BUILDING WEB GIS APPLICATIONS USING OPEN SOURCE SOFTWARE FOR WATER QUALITY MONITORING .....	494
<i>Khang Nguyen, Long Do, Binh Tran, Thy Pham</i>	
89. DETERMINING THE CRITERIA FOR ASSESSING THE MODELS OF RICE PRODUCTION TOWARDS CLIMATE SMART AGRICULTURE (CSA) IN THE MEKONG DELTA .....	495
<i>Mi Nguyen, Minh Vo, Du Thai</i>	
90. APPLICATION REMOTE SENSING DATA FOR FLOODING DETECTION AND MANAGEMENT IN LAGOON AREA: CASE STUDY IN QUANG DIEN DISTRICT, THUA THIEN HUE PROVINCE.....	495
<i>Ngoc Nguyen Bich, Ngu Nguyen Huu, Duc Tran Thanh, Chau Tran Thi Minh</i>	
91. APPLICATION OF GIS FOR GAP ANALYSIS IN CULTURAL TOURISM DEVELOPMENT IN QUANG BINH PROVINCE, VIETNAM.....	496
<i>Vien Nguyen Huu Duy</i>	
92. EVALUATE THE ACCURACY OF GOOGLE EARTH ENGINE IN SATELLITE IMAGERY CLASSIFICATION.....	496
<i>Phuong Thanh Nguyen Ngoc, Bach Viet Pham, Lam Truong Ho</i>	
93. ESTIMATING WATER USE FOR A RICE CROP IN PHU YEN PROVINCE BY REMOTE SENSING AND GIS TECHNIQUES .....	497
<i>Anh Nguyen-Tuan, Vu Phan-Hien</i>	
94. RIVERBANK CHANGE DETECTION IN THE DOWNSTREAM OF BA/DA RANG RIVER IN PHU YEN PROVINCE BY REMOTE SENSING .....	497
<i>Anh Vu Nguyen Van</i>	
95. IMPACTS OF CLIMATE CHANGE ON WATER RESOURCES OF DONG NAI RIVER SYSTEM .....	498
<i>Thao Nhi Pham</i>	
96. URBAN EXPANSION AND ITS LAND SURFACE TEMPERATURE CHANGES IN SOUTH VIETNAM.....	498
<i>Bach Viet Pham</i>	
97. AN APPLICATION OF THERMAL REMOTE SENSING IN DETECTING AND MONITORING TEMPERATURE CHANGE IN DAI TU TEA GROWING AREA, THAI NGUYEN CITY BETWEEN 1990 AND 2015.....	499
<i>Tuan Pham Van, Thi Nguyen Quang, Trung Chu Van, Viet Duong Hong, Tuyen Ha Van, Linh Nguyen Thuy</i>	
98. SENTINEL-1A SAR DATA FOR FOREST ABOVEGROUND BIOMASS AND CARBON ACCUMULATION ESTIMATIONS IN THUAN CHAU DISTRICT, VIETNAM .....	499
<i>Manh Pham Van, Toan Dang Ngo Bao, Thach Nguyen Ngoc, Tam Pham Minh, Thanh Bui Quang, Hong Nguyen Thi</i>	

99. STUDY ON TYPICAL SEABED CLASSIFICATION OF SHALLOW WATER AREAS AROUND ISLANDS BY REMOTE SENSING AND GIS TECHNOLOGY .....	500
<i>Yen Phan Quoc, Hieu Nguyen, Hoai Dao Khanh</i>	
100. MONITORING RICE AREA AND GROWTH STATUS IN THE MEKONG DELTA, VIETNAM USING MULTI-TEMPORAL SENTINEL-1 DATA .....	500
<i>Hoang Phi Phung, Lam Dao Nguyen</i>	
101. EVALUATE MEKONG DELTA'S RICE CROP CHANGES DURING FIFTEEN YEARS BY USING HIGH TEMPORAL RESOLUTION SATELLITE DATA .....	501
<i>Kha Phan Quoc Tran, Thy Pham Thi Mai</i>	
102. AGRICULTURAL WATER USED ASSESSMENT IN DROUGHT SEASON WITH SWAT MODEL: A CASE STUDY OF YOM RIVER BASIN.....	501
<i>Kanida Phukongnam, Anujit Vansarochana, Ratchada Pantong, Chonthicha Kammani, Thidarat Sunthonthip</i>	
103. APPLICATIONS OF GIS AHP IN ASSESSMENT OF LAND FOR ORANGE TREE (CASE STUDY IN TAN PHU COMMUNE, TAN KY DISTRICT, NGHE AN PROVINCE, VIETNAM) .....	502
<i>Tuyen Tran Thi</i>	
104. DAMAGE MONITORING AND ADAPTATION IN CASE OF BANG RAKAM FLOODING, PHITSANULOK PROVINCE, THAILAND .....	502
<i>Pathana Rachavong</i>	
105. THE GIS APPROACH METHOD FOR SUMMARIZING VIETNAM AGRICULTURAL COOPERATIVES MODELS TRANSFORMED ACCORDING TO THE VIETNAM COOPERATIVE LAW 2012 .....	503
<i>Thai Tran Thi, Nghia Nguyen Viet</i>	
106. THE ANALYSIS OF THE RISK OF MALARIA OUTBREAK DUE TO CLIMATE CHANGE IN THAILAND USING GIS-BASED MODELLING.....	503
<i>Chirakorn Seangprong</i>	
107. CNN BASED METHOD FOR SEMANTIC SEGMENTATION OF VNREDSAT-1 SATELLITE IMAGE.....	504
<i>Dung Thi Mai Nguyen, Chuyen Trung Tran, Anh Hong Le, Huong Mai Tran, Anh Van Tran, Xuan Truong Nguyen</i>	
108. PROPOSAL FOR DETECTION OF ALGAL BLOOM USING REMOTE SENSING IN COASTAL WATERS OF SOUTHERN VIETNAM .....	504
<i>Phan Minh Thu, Pham Thi Phuong Thao, Ho Dinh Duan, Bui Hong Long, Thai Tieu Minh</i>	
109. LANDSLIDE SUSCEPTIBILITY MAPPING BY MULTI-TEMPORAL RADAR SATELLITE IMAGES AND LOGISTIC REGRESSION MODEL .....	505
<i>Van Anh Tran, Quoc Cuong Tran, Quoc Dinh Nguyen, Thi Mai Dung Nguyen</i>	

110. ANALYSIS OF SPATIAL AND TEMPORAL CHANGES OF COASTAL WETLAND IN THAI THUY DISTRICT, THAI BINH PROVINCE USING REMOTE SENSING AND GIS .....	505
<i>Tuan Tran Anh, Hang Chu Thi, Thu Ho Le</i>	
111. GIS AND REMOTE SENSING APPLICATIONS IN ANALYSIS THE CHARACTERISTICS OF FOREST LANDSCAPE FRAGMENTATION IN LAM RIVER BASIN .....	506
<i>Tuyen Tran Thi</i>	
112. A REAL-TIME MOBILE-BASED FRAMEWORK FOR TRUCKS MONITORING IN OPEN-PIT MINES.....	506
<i>Chuyen Trung Tran, Dung Thi Mai Nguyen, Anh Hong Le, Huong Mai Tran, Oanh Nong Thi, Dieu Tien Bui</i>	
113. ASSESSMENT WATER DISCHARGE UNDER THE IMPACTS OF CLIMATE CHANGE IN MEKONG RIVER BASIN USING SWAT MODEL .....	507
<i>Sam Truong</i>	
114. LANDSAT IMAGE PROCESSING APLICATION FOR EVALUATING THE LAND COVER CHANGE IN LAI GIANG RIVER CATCHMENT, VIET NAM.....	507
<i>Ngoc Duong Vo</i>	
115. SALINITY MAPPING USING REMOTE SENSING AND GIS: THE CASE OF CUNG HAU AND DINH AN ESTUARY, TRA VINH PROVINCE, VIETNAM.....	508
<i>Nguyen Nguyen Vu, Le Van Trung, Tran Thi Van</i>	
116. CONSTRUCTION AND EVALUATION OF 3-D GEOLOGICAL MODEL FOR URBAN GEOSPATIAL ANALYSIS .....	508
<i>Go YONEZAWA, Susumu NONOGAKI, Muneki MITAMURA, Kenichi SAKURAI, Luan Xuan TRUONG, Shinji MASUMOTO, Tatsuya NEMOTO, Venkatesh RAGHAVAN</i>	

# DEVELOPING AN APPLICATION ON LAND USE PLANNING INFORMATION IN GIA RAI DISTRICT, BAC LIEU PROVINCE

Diep Nguyen Thi Hong <sup>1</sup>, Xuyen Duong Chi <sup>1</sup>, Nguyen Trong Can<sup>1</sup>

<sup>1</sup>Land Resources Dept., College of the Environment and Natural Resources, Can Tho University (CTU).  
E-mail: nthdiep@ctu.edu.vn

## ABSTRACT

*The research aims to develop WebGIS system and to apply on mobile device for land use (LU) maps as well as land use planning (LUP) maps in Gia Rai district, Bac Lieu province to support spatial data sharing on the internet environment. WebGIS was created base on HTML, CSS and JavaScript programming languages. In addition, an application (App.) on smarphone was applied using App Studio on ArcGIS software to be provided by ESRI. Spatial and attribute databases of land use and land use planning are stored on ArcGIS Online. The results were completed not only revision of maps and land parcels information but also land use planning maps in each commune in Gia Rai district, Bac Lieu province. Moreover, the web page were developed to provide spatial and attributes information of land use and land use planning which are interactive functions including displaying, searching by parcel numbers or by attributes, measurement, map printing, etc. can be accessed on the website of the Land Registration Office in Gia Rai district and on smartphone.*

## 1. INTRODUCTION

The fourth industrial revolution (i.e., industry 4.0) is an inevitable demand in the current development which bases on the nine main pillars including big data analytics, autonomous robots, simulation, system integration, internet of things, cyber physical system, cloud computing, additive manufacturing and augmented reality. These foundations are the core achievements of the information technology (IT) [14]. Under the powerful development of the IT and internet connection, there is a demand of applying IT to quickly and timely address the work in the Vietnamese state agencies [7]. Online service advantages in the agencies help to reduce amount of work for the officers and save the customer's time while the work efficiency is also improved significantly.

In the context of economic development and population growth, the real estate market is quite vibrant and the land price tends to be increasing [2]. Thus, the resident increasingly demand to know land use and land use planning for their trading purposes. In fact, land information was only revealed in the Land Registration Office (LRO), thus it often wastes the time. Therefore, it is necessary to have an open land information system to the interested residents who could search land use, land use planning quickly, transparently and accurately. The system is designed as a WebGIS page which distributes the Geographic Information System (GIS) data via the World Wide Web (WWW) environment to perform and display the spatial data (Gillavry, 2000). The WebGIS could effectively supported the rural development, water, environment, tourism, land and building management [4], [8], [10], [11], [12].

Android is the most popular operating system on the mobile devices (e.g., smartphone) developed by Google cooperation on Linux platform [13]. The Android applications are created on open platform, multifunctional library and powerful developer community. These apps are delivered on Google Play Store with over 700,000 apps, that are friendly, easy to use, and highly customized products.


Therefore, the research was performed with the objectives of developing a WebGIS system to search data of the land use, land use planning information and creating the applications on Android mobile devices for interested users and the outdoor field survey purposes.

## 2. DATA AND METHODOLOGY

### 2.1 Study area

Gia Rai district is located in the west of Bac Lieu province and along the 1A national road. The town cover on an area of 35,466.81 hectares, it stretches from 9°00' to 9°38'09" North latitude, and from 105°14'15" to 105°51'54" East longitude. The Gia Rai district includes 2 towns (i.e., Gia Rai, Ho Phong) and 8 communes (i.e., Phong Thanh, Phong Thanh A, Phong Thanh Dong, Phong Thanh Tay, Phong Tan, Tan Thanh, and Tan Phong). The district borders to Hoa Binh district (Bac Lieu province) in the east, Ca Mau province in the west, and Dong Hai and Phuoc Long (Bac Lieu province) in the south and north, respectively (Figure 1) [1].

Gia Rai district is along the 1A highway approximately 30 kilometers which is as a main bridge to connect the two regional economy centers of Bac Lieu city and Ca Mau city. The district is an intersection among both waterways and main roads of the region. Moreover, Gia Rai district also belongs to the key zone of fishery and brackish aquaculture cultivation in the Ca Mau peninsula. Hence, the district has advantages to become a regional center of processing, trading and distributing brackish aquaculture products.



**Figure 1. The study area of Gia Rai district, Bac Lieu province**

### 2.2 Data used

The principal data in the research was the digital maps in scale of 1:25000 which were acquired in the Land registration office in Gia Rai town (Bac Lieu province) including: (1) Administrative map, (2) Land use map of Gia Rai district in 2010, (3) Land use planning map up to 2020 in Gia Rai town.

## 2.3 Methodology

### 2.3.1 Data conversion and manipulation

The collected digital maps in MicroStation format (\*.dgn) were converted to MapInfo format (\*.tab) for standard edition database and then converted to shapefile format (\*.shp) for uploading data on ArcGIS online platform.

Firstly, the MicroStation format maps were transformed to MapInfo format maps by the Universal Translator tool on MapInfo. The outputs were defined the projection corresponding the Bac Lieu province (i.e., VN-2000, 105° zone 3°) by the extension tool of nGEOTOOLS. Then, the data was fixed the polygon errors, edited attribute table, and synthesized data to suit with database extraction.

Next, the MapInfo format data was again transformed to shapefile. The shapefile data then was mapped as following the Decision number 23/2007/QD-BTNMT of the Ministry of Natural Resources and Environment (MONRE) about symbols and colors for land use map in Vietnam (Table 1). The final maps of land use and land use planning were uploaded to online for storing and sharing database on the ArcGIS online platform.

**Table 1. Color and land use/land use planning code**

Nu.	Color & LU/LUP code	LU/ LUP	Nu.	Color & LU/LUP code	LU/ LUP
1	 CAN	Army land	10	 NTS	Aquaculture land
2	 CLN	Perennial land	11	 NVT	Coastal aquaculture
3	 DGD	Educational land	12	 ODT+LNK	Urban & perennial plants land
4	 DGT	Transportation land	13	 ONT	Rural residential land
5	 DRA	Landfill land	14	 ONT+CLN	Rural residential and perennial plants
6	 DXH	Social service land	15	 ONT+LNK	Rural residential and other perennial plants
7	 HNK	Annual plants land	16	 SKK	Industrial land
8	 LUC	Rice land	17	 SON	Rivers and canals
9	 NTD	Cemetery land			


### 2.3.2 WebGIS design

**Online map creation:** The uploaded data was used to create maps, which could be online access on the internet environment. The steps to create the map consist of the following key steps: add layers> edit color, symbol and title> share map> create web interface> create map functions> create web application> complete and embed link into WebGIS page.

**Website interface design:** The website was designed by the programming languages of HTML and CSS. The WebGIS consists of 3 main components: (1) presentation section (i.e., banner, menu, link, etc.), (2) online database on ArcGIS online to access the parcel information, and (3) map application section. Firstly, the programmer designed web interface with menu and other web function. Then, the programmer embedded map links on the ArcGIS online to the website.

### 2.3.3 Mobile application design

The research created 2 isolated Apps of land use App and land use planning App, which provide the corresponding parcel information. Firstly, the map layers were added into the App Studio on ArcGIS online. Next, the Apps were designed the basic functions how to suitable on the mobile devices. Then, the Apps were run trial, corrected errors and completed the Apps.



**Figure 2. The flowchart steps on mobile application design**

## 3. Results

### 3.1 Database

#### 3.1.1 Spatial database

##### *Land use map*

There are 17 land use units in Gia Rai town which include the different land use purpose such as army land, perennial land, educational land, transportation land, landfill land, social service land, other annual plants land, rice cultivation land, cemetery land, aquaculture land, coastal aquaculture land, urban and other perennial plants land, rural residential land, rural residential and perennial plants, rural residential and other perennial plants, industrial land, rivers and canals.

In regarding to land use period, the principal rice cultivation areas included the communes of Phong Thanh Dong, Phong Thanh Dong A, Phuong 1 and Tan Phong. Besides, the district has advantages in brackish aquaculture, the aquaculture areas distributed in most of the communes. Tan Thanh commune is a core of the industrial zone expected to become a main area of aquaculture processing.

##### *Land use planning map up to 2020*

Generally, land use planning for 2020 in Gia Rai town has some following characteristics:

- (1) Remaining the rice cultivation area in Phong Thanh Dong, Phong Thanh Dong A, Phong Tan and Phuong 1;
- (2) Establishing the new administrative zone and commercial centers in the town;
- (3) Increasing the area of land for culture - education, transportation, urban residential area, trade-services, medical land, public utility land across the district;
- (4) Conversing other agriculture lands into brackish aquaculture purposes in most of the communes except Tan Thanh and Phong Thanh Dong A.

### 3.1.2 Attribute table

The properties table of the parcel designed including 6 data fields, which supply the parcel information such as parcel Identification (ID), owner name, address, land use purpose, area and color code of each land use type. The data type and width of each data field is shown in the table 2 below.

**Table 2. Properties table structure of a parcel**

Data field	Description	Type	Width
SHTHUA	Parcel ID	Character	8
HOTEN_CHUSD	Owner name	Character	50
DIACHI	Address	Character	50
LOAIDAT	Land use type	Character	10
DIENTICH	Area	Decimal	10, 2
Igds_color	Color code	Small Integer	

In terms of attribute table of land use planning map, which was designed in type of text with 10-character-width (Table 3). The field illustrates the planning information to orientate land use purposes in the district up to 2020, and notify the planning information to land owners.

**Table 3. Properties table structure of a land use planning**

Data field	Description	Type	Width
QuyHoach	Planning	Character	10

### 3.1.3 Map editor

The land use and land use planning maps were edited and assigned colors for each land use type. The colors were as the Decision number 23/2007/QĐ-BTNMT of the Ministry of Natural Resources and Environment (MONRE) about “Issue the symbols for land use status map and the land use planning map” corresponding to 17-land use purposes in the section 3.1.1 in Gia Rai district.

## 3.2 Land use and land use planning WebGIS

### 3.2.1 Homepage

Homepage is the first webpage when guests access the website, in the research’s website the homepage consisted of 5 primary components such as banner, menu, map category, Google map, links, and extra components (e.g., footer, time and calendar) (figure 3).

*Banner:* Which is an image on the page header to show the website name and for decoration purpose.

*Menu:* The dynamical menus were a hierarchical structure, that were designed by programming language of HTML and CSS. A sub-menu was connected to a separated page, the corresponding link and page interface will be accessed when the sub-menu was selected.

*Map category:* There are 2 categories (i.e., land use maps, and land use planning maps), which support users to easily find a specific parcel information on the land use map, or the planning map through the buttons on the website. Each map shows one commune/town unit on an isolated page

*Google map:* The extensional utility helps guests to quickly access Google Map, the default location whenever the website be opened is Gia Rai district.

*Link:* The function links the website with other related website such as the Central portal, provincial portal. Besides, the function also helps to save time for searching additional information in other sectors.



**Figure 3. The website homepage with component functions**

### 3.2.2 Overview page

The overview page supplies the information about (1) general natural resources, (2) natural conditions, (3) natural resources, and (4) historical sites and landscapes. The detail information in each sub-category was shown below:

- (1) General natural resources: to supply briefly about natural conditions;
- (2) Natural conditions: administrative boundary, topography, climate, surface hydrological regime;
- (3) Natural resources: Soil resources (soil groups such as saline soil, alkaline soil, alluvium soil), water resource;
- (4) Historical sites and landscapes: Tourist features and development goals of tourism in the district.

### 3.2.3 Map category

Map category is a core part of the website, and it was link with “map category” in the overview page. The two categories (i.e., land use and planning) will be displayed in each separated commune/town map. The digital maps were accessed via available link which could be online accessed through the ArcGIS online platform.

#### Main functions

The map interface was designed with the main function buttons (figure 4), which support users to display the map, search the parcel information, export data, and print out the map in different paper sizes.



**Figure 4. The map interface with multi-function buttons**

The button group on the vertical axis of the map, which are the functions of zoom in , zoom out , Show default scale , and search the parcel information through the parcel ID . The button group on the horizontal axis of the map supplies the multi-functions as following below:

 The function provides numerous backgrounds, which the users could change during the map display. The base-map shows various support information such as topography, road, river, and administrative boundary. The base-map is a useful information channel for GIS users to reference the object location. The base-maps consist of Open Street Map (OSM), satellite, topographic map, stress map, ocean map, etc.

 The function supports the measurement methods of the object such as region area, distance between two points, and point coordinates.

 The function used to turn on, or turn off the map layer. On the land use planning map, the function is able to show land use map, land use planning map or both of them.

 To display the map attribute table, the users could adjust the display mode to show or hide some information by using the + button and check on the interesting data fields (Figure 5).

Hientrang_Phuong1_region (Đối tượng: 7577, Đã chọn: 0)					
OBJECTID	SHTHUA	HOTEN_CHUS	DIACHI	LOAIDAT	
1	16309	0	0	ONT+LNK	<input checked="" type="checkbox"/> OBJECTID
2	16387	0	0	ONT+LNK	<input checked="" type="checkbox"/> SHTHUA
3	16461	0	0	ONT+LNK	<input checked="" type="checkbox"/> HOTEN_CHUS
					<input checked="" type="checkbox"/> DIACHI
					<input checked="" type="checkbox"/> LOAIDAT

**Figure 5. The optional display function on attribute table**



To create print page for the current map under number of paper sizes. Besides, the users also add the map legend, map title into the print page.

### Ability of retrieving parcel information

The website supports two different methods to extract the parcel information. A parcel information could be revealed when the users click left-mouse on it. A small query note will occur beside the selected parcel with detail information. Other way, the users also search a specific parcel by its ID, the website also moves to the selected parcel with its information note (Figure 3).



**Figure 6. The clicked parcel information (a), the suggested parcel when using search ID parcel function**

#### 3.2.4 Subcategories

*News:* The news section provides the information in Gia Rai district with sub-menu corresponding to 4 sub-sections including social culture, political economy, urban management, and national security.


*Documents:* The webpage provides announcements, administrative documents, and legal documents.


*Contacts:* The page stores contact information of related departments, and director of communes.

*Sitemap:* Which is a website's contents with a list of pages in the website.

### 3.3 Mobile device Application

The applications of land use, and land use planning were designed into two separated applications to optimize the Apps' interface and performance (Figure 7).





(a)	(b)
(c)	(d)

**Figure 7. (a) Applications of land use and land use planning, (b) the display of planning App, (c) Map gallery, (d) the selected parcel information**

When launching the App, the map gallery is opened  to show the component maps in each commune. The map also supports interactive functions, the detail map function consists of tags such as INFO (i.e., display the layer name), LEGEND (i.e., show the key-map explanation), CONTENT (i.e., display the layers map of land use or planning map).

The users could extract the parcel information by the way of clicking on specific parcel on the App screen. Especially on the App version for smartphone, the App has the function of positioning , thus the users could extract the parcel information in their location of standing with only a smartphone with internet connection.

**3.4 Application ability**

Besides the basic features of a regular website such as general introduction of Gia Rai district, news, documents, contacts and related website links, the WebGIS provides land use, land use planning information in both attribute and spatial information. The spatial information also a real geographic location when the data was converted into the same projection reference, and compared to base map layer. The information is extracted in form of an animated map in each commune with the interactive functions. The function is parcel search using parcel-ID or attribute table, multi-scale zoom, measurement and print, that could be directly performed on the website interface. The WebGIS effectively performs on computer with mouse manipulations and external devices (e.g., printer), thus it could strongly support to experts, managers, and other interested people. On the other hand, the land use, land use planning Apps are more movable, because the users could install the applications on every Android device. The mobile version could be used by any people interested in land use, land use planning to be accessible everywhere with an internet connected smartphone. Through the GPS technique on the smartphone, the users also know their location compared to a specific parcel when they are performing a field survey. Thus, the management is able to be improved, because the heterogeneity between the legal land use state and the real land cover be revealed.

However, both the WebGIS and the applications should be improved to promote the applicability. The WebGIS should be added the administrative function and user decentralization. The administrator login to the website system to post news, update website data, and manage the suggestion box. Additionally, the attribute table of the parcel is too primitive, thus it should be completed by adding the detail information such as map number, land owner name, land origin, certificate number, document number, barcode, and certificate status. On the mobile applications, the google map functions should be developed support

the field survey purpose including direction, traveling time, nearest way suggestion, etc. Besides, the search function on the apps should be designed to quickly find a known parcel on the digital map.

#### **4. CONCLUSIONS**

The research created a planning portal website by WebGIS technique on non-charged storage platform of ArcGIS online, the website provides the basic contents and functions. The main content of the website is the map catalog with two map categories in commune level including the land use maps in 2010, and land use planning maps up to 2020. The website provides interactive functions on the map such as zoom in, zoom out, find, base map, measurement, layers, table, and print. Besides, the interactive website also allows the interested users to refer to a specific parcel information about its present land use and land use planning in 2020.

The two-application of land use App and land use planning App, which were also the research outcomes. The applications could operate on Android operating system of mobile devices. The applications also allow to access the online digital maps on ArcGIS online for displaying purpose. The main functions of the Apps consist of displaying map, changing base-map, extracting parcel information, legend map, and altering map layers. Especially, the users also know their location while checking a specific parcel through the positioning function on smartphone version, which is not available on the web version.

#### **ACKNOWLEDGEMENTS**

The authors sincerely thank to the Land Registration Office branch in Gia Rai district, Bac Lieu province for sharing documents, secondary data, and digital maps in the research. They also greatly appreciate the feedback comments from the academic council during the research performance and completion.

#### **REFERENCES**

- [1] Bac Liêu PC (2017). The synthesis explanatory report: Adjustment of land use planning up to 2020 and land use planning for the last period (2016-2010) in Bac Lieu province.
- [2] Ekpang, E.E.N, Okpiliya, F., Okon, I., Njoku, C.G., O. Itu, P.C., Erhabor, F., Okeniyi, O. (2017). Population Growth and Residential Housing Cost in Calabar Municipality, Cross River State, Southern Nigeria. The 58<sup>th</sup> Assosiation of Nigerian Geographers Annual Conference. Nasarawa State University, Nigeria.
- [3] Gallavry, E. Mac (2000). Cartographic aspects of WebGIS-softwae, Department of Cartography, Utrecht University.
- [4] Ganardi, R. V. H., Gunawan, W., Warnada, S. R. (2017). WebGIS for Asset Management of Land and Building of Madiun City Government, in: Procedia Computer Science: The 4th Information Systems International Conference. Bali, Indonesia.
- [5] GOV, (2007). The decree no. 64/2007/ND-CP about “Applying information technology in the operation of state agencies.” Ha Noi.
- [6] Huong, D.T.X., (2011). Applying web-GIS technology for tourism database management, in: The 2011 Conference of GIS Application. pp. 183–194.

- [7] Le, T., Quang, T.C., Thanh, L. Van, Minh, V.Q., Quynh, P. Van, (2013). Building agriculture and rural development database management system by WebGIS technology. *Can Tho Univ. J. Sci.* 1–10
- [8] Phong, T.N., Long, D.T., Binh, T.T., (2014). Developing gis and webGIS application using open source software, in: *The 2014 Conference of GIS Application*. pp. 1–10
- [9] Thanh, L. Van, Quang, T.C., Minh, V.Q., Le, T., (2014). Applying WebGIS technology to managing the water data of Can Tho City. *Can Tho Univ. J. Sci.* 30, 39–47
- [10] Thao, T.D., Hien, T.T.D., (2017). Building software integrating web-geographic information systems, compatible for the environmental management in Quang Ngai. *J. Sci. Technol. Food* 12, 33–42
- [11] Tu, H. Van, (2014). *Lesson of Mobile application development*. Department of Applied Computer Science, Faculty of Natural Sciences, Can Tho University.
- [12] Vaidyaa, S., Ambadb, P., Bhosle, S., (2017). Industry 4.0: A Glimpse. *Procedia Manuf.* 2nd Int. Conf. Mater. Manuf. Des. Eng. 20, 233–238. <https://doi.org/10.1016/j.promfg.2017.09.191>
- [13] Ministry of Natural Resources and Environment (MONRE), (2007). Decision number 23/2007/QĐ-BTNMT of “Issue the symbols for land use status map and the land use planning map
- [14] Bac Lieu People Committee (Bac Lieu PC), (2017). *The synthesis explanatory report: Adjustment of land use planning up to 2020 and land use planning for the last period (2016-2020) in Bac Lieu province*. Bac Lieu.



**Sponsored by**

Can Tho University (Vietnam)  
Osaka City University (Japan)

**Supported by**

Hanoi University of Mining and Geology (Vietnam)  
Japan Geotechnical Consultant Association (Japan)  
Japan Society of Geoinformatics (Japan)  
Naresuan University (Thailand)  
and Geoinformatics International (Thailand)



(Not for sale)